

MOVING YOUR BUSINESS FORWARD.

THE FUSO FE GAS TRUCK











TRUCKS THAT WORK AS HARD AS YOU DO.

While each FE GAS model has its own resume, they all share some very impressive features. Such as a ladder-style frame that's lighter than the competition, yet 28% stronger. A 40-gallon, in-rail fuel tank—10 gallons more than the competition. And an engine that delivers 297 HP with 361 lb./ft. of torque for effortless hauling, whether you're navigating city streets or suburban neighborhoods.

But the real story here is the selection. Choose from two Class 4 models or the industry's first Class 5 gas-powered LCF. Pick your body and payload capacity, up to 11,945 lbs. Select seating from three to seven. Whether you go for the FE160, FE160 CREW, or FE180, you'll definitely have the right specs for the job ahead.









FUSO FE160


With versatility for demanding applications like lastmile delivery to foodservices, the FE160 provides responsive steering and comfortable driving that makes any job easier. You'll appreciate the panoramic windshield and all-around visibility just as much as the day-in, day-out dependability.

FUSO FE160 CREW CAB

If you need more hands on deck, the four-door FE160 CREW comfortably seats up to seven people with plenty of room for storage. Perfect for construction or landscaping, it's a configuration that lets you transport a larger crew—and your equipment—with confidence.

FUSO FE180

This heavy mover is in a class by itself. With a GVWR of 17,995 lbs. and a body and payload of 11,885 lbs., the FE180 delivers plenty of muscle without sacrificing agility and maneuverability. What can you do with all that extra capacity? More. Lots more.



POWER TEAM: GM ENGINE AND ALLISON TRANSMISSION.

A CHASSIS WITH ROOM TO GROW.

Tilt the cab forward and you'll see we've streamlined all routing for durability and easier access. Sensitive fuel and wiring lines are out of harm's way, offering clean frame rails that provide additional space for toolboxes and side-mounted equipment. Note that we've kept our standard 33.5" frame and cab-chassis

configurations. Upfitters will find the same wheelbases, box sizes and body attachment capability they've enjoyed with our diesel trucks. Technicians will appreciate the spacious layout for servicing and maintenance.

A V8 GAS ENGINE THAT OUTPERFORMS DIESEL.

The powertrain in our gas-powered models has been strategically designed to meet your needs for smooth power and lower operating costs. The PSI-GMPT 6-liter V8 engine has twice the displacement of our diesel option, giving you

more horsepower and more torque. It outperforms typical diesel-powered trucks within the same class size, with the added advantage of less complex emissions and lower maintenance costs.





Going the extra mile: FUSO provides the extended Allison Transmission Warranty standard. You get 5-year/unlimited mileage coverage — and even more peace of mind.

THE ALLISON 1000 SERIES": SMART SHIFTING MEETS FUEL ECONOMY.

With uninterrupted uptime in mind, we've equipped each model with the best-in-class Allison 1000 Series 6-speed automatic transmission. Renowned for its reliability and efficiency, Allison's patented torque converter multiplies engine torque and transfers it smoothly to the wheels. Designed for the start-and-stop demands of urban delivery, it's a transmission with excellent steep-grade startability and low-speed maneuverability.

The Allison also protects your bottom line with FuelSense 2.0® featuring DynActive™ Shifting, a standard for each FE GAS truck. Instead of shifting gears based on a data table of fixed shift points, DynActive technology

continually refines each shift using a proprietary learning algorithm. This provides the optimal balance between performance and fuel efficiency for each operator's specific duty cycle. The result is a 2% to 6% improvement in fuel economy, depending on the application. FuelSense 2.0 management includes a Neutral-at-Stop feature that further reduces fuel consumption.

And thanks to its commercial-grade design, the Allison 1000 has provisions for an optional power takeoff (PT0) that can drive a wide range of vocational truck accessories like lift bodies and dispensing pumps.

AN INTERIOR DESIGNED FOR COMFORT, CONVENIENCE AND CONTROL.

At FUSO, we're big on comfort. That's why the spacious interior of our FE GAS models has been tailored to the driver's needs. The noise-insulated, well-sprung cab makes longer journeys just as pleasant as short trips. For frequent in and out, you'll appreciate the low entry step, adjustable steering wheel, and dash-mounted shifter.

AN INTERIOR THAT BLENDS ERGONOMIC DESIGN AND PRACTICAL STYLING.

The FE interior works hard to keep you comfortable. Instrument cluster colors have been revised for better visibility, and an LED cabin light keeps the cab functional during dawn or dusk trips. Distinctive red seat belts are a FUSO trademark that encourages everyone to buckle up. A panoramic windshield and a driver-to-ground line of sight of only 6 ft. ensure you stay focused on the task ahead.



There's room for three in the standard cab, with a heavy-duty driver's seat that offers adjustable lumbar support. We've added handy storage, including an overhead console, floor tray and sun visor pocket. Black seats and dark gray floor panels keep the interior décor fashionably functional, while silver trim adds a contemporary touch to the stereo frame, shifter panel and steering wheel emblem.





An infinitely adjustable steering wheel and dash-mounted shifter give drivers more control, while instruments and displays are always within easy reach or view. By moving the shifter off the floor, we create more leg room and easier access for passengers.



Maintain a comfortable cab environment with a standard air-conditioning system. Superior insulation preserves heating and cooling, and helps keep road noise from reaching the cab interior.

SPECIFICATIONS THAT GET DOWN TO BUSINESS.

	FE 160 GAS	FE 160 GAS CREW
CAB CONFIGURATION	SINGLE	CREW
VEHICLE WEIGHT CLASS	4	4
WEIGHT RATINGS		
GVWR/GCWR - pounds	15,995 / 23,710	15,995 / 23,710
GAWR (front/rear) - pounds	6,390 / 12,700	6,390 / 12,700
BODY / PAYLOAD CAPACITY		
Maximum (estimated) - pounds	10,295	9,715
DIMENSIONS		
Wheelbase	133.9" (E) 151.6" (G) 169.3" (H) 187.0" (K)	133.9" (E) 151.6" (G) 169.3" (H) 187.0" (K)
Overall length (cab/chassis)	228.5" 246.3" 264.0" 281.7"	228.5" 246.3" 264.0" 281.7"
Overall height, est.	93.7"	93.7"
Overall width (not including mirrors)	84.4"	84.4"
Usable cab to rear axle	104.9" 122.6" 140.3" 158.0"	103.4" 121.1"
Body sizes accommodated	12' to 20' (22' with FUSO review/approval)	12' to 20' (22' with FUSO review/approval)
ENGINE		
Model	FUSO PSI-GMPT, V8, 6.0L Gasoline	FUSO PSI-GMPT, V8, 6.0L Gasoline
Туре	Gasoline	Gasoline
Displacement	6.0L (364 in³)	6.0L (364 in ³)
Engine power - hp	297	297
Engine torque - lb-ft	361	361
Cruise control	Standard	Standard
Alternative fuels	CNG and LPG capable in future models (option)	CNG and LPG capable in future models (option)
FUEL TANK		
Capacity - U.S. gallons/location	40 / In-rail aft-axle	40 / In-rail aft-axle
TRANSMISSION		
Brand & model	Allison 1000 Series™	Allison 1000 Series™
Туре	6-speed automatic, torque converter with lockup clutch	6-speed automatic, torque converter with lockup clutch
Control system	Electronic, closed-loop with adaptive shift mapping	Electronic, closed-loop with adaptive shift mapping
PTO provision	Torque converter turbine-driven spur gear (option)	Torque converter turbine-driven spur gear (option)
Shift selector	Dash-mounted	Dash-mounted
FuelSense® 2.0, with DynActive™	Standard	Standard
FRAME		
Туре	C-Channel, straight	C-Channel, straight
Section modulus, per rail - in ³	7.08	7.08
Yield strength - psi	56,565	56,565
Resistance bending moment, per rail - lb-in	400,410	400,410
Height/width - inches	32.8 / 33.5	32.8 / 33.5
Powder-coated frame	Standard	Standard
Premium anti-corrosion package**	Standard	Standard
AXLE DATA		
Ratings (front/rear) - pounds	6,835 / 13,230	6,835 / 13,230
Type (rear)	Single-reduction hypoid	Single-reduction hypoid
Ratio (rear)	5.285	5.285
Limited slip differential	Option	Option
SUSPENSION		
Type (front & rear)	Laminated leaf springs	Laminated leaf springs
TIRES & WHEELS		
Configuration	Single front, dual rear	Single front, dual rear
Tire size/type	215/75R17.5 12PR LR:F hwy front / traction rear	215/75R17.5 12PR LR:F hwy front / traction rear
Wheel size - inches/type	17.5" x 6" / 6-lug	17.5" x 6"/ 6-lug
BRAKES		
Service	Dual-caliper discs, vacuum/hydraulic	Dual-caliper discs, vacuum/hydraulic
Parking	Drum/driveline, internal expanding shoe	Drum/driveline, internal expanding shoe
ABS system	4-Channel	4-Channel
STEERING		
Туре	Integral hydraulic boost	Integral hydraulic boost
Column adjustment	Tilt & telescoping	Tilt & telescoping
Turning diameter (min. by WB) - feet	40.0, 44.6, 49.5, 54.1	49.5, 54.1
ELECTRICAL		
Battery	Maintenance-free / 750 CCA	Maintenance-free / 750 CCA
Alternator - amps	180	180
ENTERTAINMENT		
AM/FM/CD/USB, hands-free Bluetooth® radio	Option	Option
SAFETY & CONVENIENCE		
Halogen headlamps	Standard	Standard
Daytime running lights	Standard	Standard
Front power-operated***, One-touch up/down windows****	Standard	Standard
Keyless entry	Standard	Standard
FUSO red high visibility seat belts	Standard	Standard
1 000 rea riigit visibiirty seat berts		

Your business deserves a truck tailored to its unique needs. That's why FUSO FE GAS trucks give you a broad range of specs and features to choose from. Available in various sizes and a range of interior trims, you'll find all the options you could ask for. Your local dealer will guide you in selecting the perfect truck for the job.

FE**180** GAS* SINGLE 5 17,995 / 25,710 6.390 / 12.700 11.885 133.9" (E) 151.6" (G) 169.3" (H) 187.0" (K) 228.5" 246.3" 264.0" 281.7" 96.7" 84.4" 104.9" 122.6" 140.3" 158.0" 12' to 20' (22' with FUSO review/approval) FUSO PSI-GMPT, V8, 6.0L Gasoline Gasoline 6.01 (364 in³) 297 361 Standard CNG and LPG capable in future models (option) 40 / In-rail aft-axle Allison 1000 Series™ 6-speed automatic, torque converter with lockup clutch Electronic, closed-loop with adaptive shift mapping Torque converter turbine-driven spur gear (option) Dash-mounted Standard C-Channel, straight 7.08 56.565 400.410 35.8 / 33.5 Standard Standard 6,835 / 13,230 Single-reduction hypoid 5.714 Option Laminated leaf springs Single front, dual rear 225/70R19.5 12PR LR:F hwy front / traction rear 19.5" x 6.75"/6-lug Single-caliper discs, vacuum/hydraulic Drum/driveline, internal expanding shoe 4-Channel Integral hydraulic boost Tilt & telescoping 35.6, 41.5, 46.1, 51.0 Maintenance-free / 750 CCA 180 Option Standard Standard Standard Standard Standard Option

OPTIONS TO FIT YOUR IMAGE.

Image is important. So is a cab with a quality paint finish that's durable. Choose from six cab colors, all developed to deliver a polished, professional appearance that fits your business and applications.

CAB COLORS



All models are available immediately in white. Other colors shown (except Solid Black) may be special-ordered at no extra charge. Additional lead time may be required. Accuracy of indicated hues is limited by paper/electronic reproduction.

FABRIC STYLE



OPTIONAL FEATURES

- · Mobileye Collision Avoidance System
- · Clarion AM/FM Radio with hands-free Bluetooth®
- · Roof Air Deflectors
- · Engine Block Heater Kit
- · Heated Mirrors

- · Chrome Trim Package
- · Floor Mats
- · Limited-Slip Differential (LSD)
- · PTO Option for Allison Transmission
- · Wheel Simulators

FUSOFIRST™ **MAKES YOUR UPTIME OUR PRIORITY.**

Each FE GAS truck comes standard with our FUSOFirst comprehensive owner support program. It includes 24/7 roadside assistance, a web-friendly mobile app, plus access to owner/operator training and education.

WARRANTY COVERAGE THAT PROTECTS YOUR INVESTMENT.

FUSO protects your new FE investment with a generous warranty package[†]. We combine 3-year/58,000-km bumper-to-bumper, 5-year frame coverage, and 5-year/120,000-km powertrain limited warranties into one strong standard warranty.

In addition, we include a 2-year extension to the standard 3-year Allison transmission† warranty as a free standard. The truck's transmission is now covered by a 5-year/unlimited mileage warranty. See your local certified Allison Transmission Service Center for more details.

† Please see your local dealer for details and warranty limitations.

†† Allison Transmissions are warranted separately by Allison and work is performed by Allison's authorized sales and service locations.

Please note: Changes may have been made to the product since this publication went to press (07/2018). FUSO reserves the right to make changes to the information, design and specification without notice. The illustrations may show accessories and items of special equipment which are not part of standard specification. This brochure may contain models and services which are not available in certain countries. For the most current information, availability and pricing, please contact your nearest authorized FUSO truck dealership.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE. Chassis-cab dimensions, weights are +/- 3%.

*Available 2019 ** Frame and frame-mounted components ***Driver and passenger side ****Driver side only



MTFA CANADA, INC.

2015 Center Square Road, Logan Township, NJ 08085

For the dealer nearest you, or for more information, visit our website at: $\ensuremath{\mathbf{MITFUS0.CA}}$

PRINTED IN THE U.S.A.

© 2018 MFTA, INC.

All rights reserved. MFTA Canada Inc. is a part of Mitsubishi Fuso Truck of America, Inc., and a subsidiary of Mitsubishi Fuso Truck and Bus Corporation, Kawasaki, Japan. FUSO is a Daimler Group Brand.



